



FOOD ESTABLISHMENT INSPECTION REPORT

R-10

Armenian Apostolic Church
315 Church Street
Whitinsville, MA 1588
Permit Holder: Same

Inspection Number	Date	Time In/Out	Inspection Type	Inspector
A85DA	12/18/23	12:01 PM 1:02 PM	Routine	D.Markman
Permit Number	Risk	Variance	Client Type	
2023-002	2		Church	

Foodborne Illness Risk Factors and Public Health Interventions

IN = in compliance OUT = out of compliance N/O = not observed N/A = not applicable COS = corrected on-site during inspection Repeat Violations Highlighted in Yellow

Supervision	IN	OUT	NA	NO	COS	Protection from Contamination (Cont'd)	IN	OUT	NA	NO	COS
1. PIC present, demonstrates knowledge, and performs duties	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	15. Food separated and protected	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Certified Food Protection Manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16. Food-contact surfaces; cleaned & sanitized	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Employee Health	IN	OUT	NA	NO	COS	17. Proper disposition of returned, previously served,	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Management, food employee and conditional employee knowledge, responsibilities and reporting	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Time/Temperature Control for Safety	IN	OUT	NA	NO	COS
4. Proper use of restriction and exclusion	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18. Proper cooking time & temperatures	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5. Procedures for responding to vomiting and diarrheal events	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	19. Proper reheating procedures for hot holding	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Good Hygienic Practices	IN	OUT	NA	NO	COS	20. Proper cooling time and temperature	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6. Proper eating, tasting, drinking, or tobacco use	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	21. Proper hot holding temperatures	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7. No discharge from eyes, nose, and mouth	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	22. Proper cold holding temperatures	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Preventing Contamination by Hands	IN	OUT	NA	NO	COS	23. Proper date marking and disposition	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8. Hands clean & properly washed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	24. Time as a Public Health Control; procedures & records	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9. No bare hand contact with RTE food or a pre-approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Consumer Advisory	IN	OUT	NA	NO	COS
10. Adequate handwashing sinks supplied and accessible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	25. Consumer advisory provided for raw/undercooked food	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Approved Source	IN	OUT	NA	NO	COS	Highly Susceptible Populations	IN	OUT	NA	NO	COS
11. Food obtained from approved source	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	26. Pasteurized foods used; prohibited foods not offered	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12. Food received at proper temperature	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Food/Color Additives and Toxic Substances	IN	OUT	NA	NO	COS
13. Food in good condition, safe & unadulterated	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	27. Food additives: approved & properly used	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
14. Required records available: shellstock tags, parasite	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	28. Toxic substances properly identified, stored & used	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Repeat Violations Highlighted in Yellow						Conformance with Approved Procedures	IN	OUT	NA	NO	COS
						29. Compliance with variance/specialized process/HACCP	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Good Retail Practices

Safe Food and Water	IN	OUT	NA	NO	COS	Proper Use of Utensils	IN	OUT	NA	NO	COS
30. Pasteurized eggs used where required	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	43. In-use utensils: properly stored	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
31. Water & ice from approved source	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	44. Utensils, equip. & linens: properly stored, dried & handled	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
32. Variance obtained for specialized processing methods	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	45. Single-use/single-service articles: properly stored & used	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food Temperature Control	IN	OUT	NA	NO	COS	46. Gloves used properly	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
33. Proper cooling methods used; adequate equip. for temp.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Utensils, Equipment and Vending	IN	OUT	NA	NO	COS
34. Plant food properly cooked for hot holding	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	47. All contact surfaces cleanable, properly designed,	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
35. Approved thawing methods used	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	48. Warewashing facilities: installed, maintained & used; test	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36. Thermometers provided & accurate	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	49. Non-food contact surfaces clean	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food Identification	IN	OUT	NA	NO	COS	Physical Facilities	IN	OUT	NA	NO	COS
37. Food properly labeled; original container	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	50. Hot & cold water available; adequate pressure	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Prevention of Food Contamination	IN	OUT	NA	NO	COS	51. Plumbing installed; proper backflow devices	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
38. Insects, rodents & animals not present	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	52. Sewage & waste water properly disposed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
39. Contamination prevented in prep, storage & display	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	53. Toilet facilities: properly constructed, supplied, & cleaned	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
40. Personal cleanliness	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	54. Garbage & refuse properly disposed; facilities maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
41. Wiping cloths; properly used & stored	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	55. Physical facilities installed, maintained & clean	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42. Washing fruits & vegetables	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	56. Adequate ventilation & lighting; designated areas use	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
						60. 105 CMR 590 violations / local regulations	2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Official Order for Correction: Based on an inspection today, the items marked "OUT" indicated violations of 105 CMR 590.000 and applicable sections of the 2013 FDA Food Code. This report, when signed below by a Board of Health member or its agent constitutes an order of the Board of Health. Failure to correct violations cited in this report may result in suspension or revocation of the food establishment permit and cessation of food establishment operations. If you are subject to a notice of suspension, revocation, or non-renewal pursuant to 105 CMR 590.000 you may request a hearing before the board of health in accordance with 105 CMR 590.015(B).

D. Markman

George Marashian - Expires
Certificate #:

Priority	Pf	Core	Repeat	Risk Factor	Good Retail
4	1	4		3	6
Follow Up Required: <input checked="" type="checkbox"/> Y			Follow Up Date: 1/3/2024		

FOOD SAFETY INSPECTION REPORT

Page Number

2

Armenian Apostolic Church
315 Church Street
Whitinsville, MA 1588

Inspection Number
A85DA

Date
12/18/23

Time In/Out
12:01 PM
1:02 PM

Inspector
D.Markman

Inspection Report (Continued)


Repeat Violations Highlighted in Yellow

Protection From Contamination

Proper disposition of returned, previously served, reconditioned & unsafe

17 3-701.11 Discarding or Reconditioning Unsafe, Adulterated, or Contaminated Food - Kitchen -

Pr Eggs were found past date. Please discard. PIC voluntarily discarded. *Code: A food that is unsafe, adulterated, or not honestly presented as specified shall be discarded or reconditioned according to an approved procedure. Food that is not from an approved source shall be discarded. RTE food that may have been contaminated by an employee who has been restricted or excluded shall be discarded. Food that is contaminated by food employees, consumers, or other persons through contact with their hands, bodily discharges, such as nasal or oral discharges, or other means shall be discarded.*



Time / Temperature Control for Safety

Cold Holding Temperature

22 3-501.16 (A)(2) (B) Proper Cold Holding Temps. - Kitchen -

Pr The temperature of the Cheese (probe) in the 1 dr freezer was 43.6 degrees. Various items in the 1 door fridge were off temp. All were discarded voluntarily. Do not use this fridge until it is repaired/replaced and can meet temp *Code: Except during preparation, cooking, or cooling, or when time is used as the public health control as specified under section 3-501.19, and except as specified under paragraph (B) and in paragraph (C) of this section, TCS food shall be maintained at 41°F or less. Eggs that have not been treated to destroy all viable Salmonellae shall be stored in refrigerated equipment that maintains an ambient air temperature of 45°F or less.*

Food/Color Additives and Toxic Substances

FOOD SAFETY INSPECTION REPORT

Page Number

3

Armenian Apostolic Church
315 Church Street
Whitinsville, MA 1588

Inspection Number
A85DA

Date
12/18/23

Time In/Out
12:01 PM
1:02 PM

Inspector
D.Markman

Inspection Report (Continued)


Repeat Violations Highlighted in Yellow

Toxic substances properly identified, stored & used

28

7-201.11 Storage Separation - Garage -

Pr Do not store chemicals above the freezer unit Code:
Poisonous or toxic materials shall be stored so they cannot contaminate food, equipment, utensils, linens, and single-service and single use articles by: (A) Separating the poisonous or toxic materials by spacing or partitioning; and (B) Locating the poisonous or toxic materials in an area that is not above food, equipment, utensils, linens, and single-service or single-use articles.



Proper Use of Utensils

FOOD SAFETY INSPECTION REPORT

Page Number

4

Armenian Apostolic Church
315 Church Street
Whitinsville, MA 1588

Inspection Number
A85DA

Date
12/18/23

Time In/Out
12:01 PM
1:02 PM

Inspector
D.Markman

Inspection Report (Continued)

Repeat Violations Highlighted in Yellow

Uten./equip./linens; properly stored, dried, handled

44 4-903.11 (A)(B)(D) Equip./Uten./Lin./Sing.-Ser/Use Art - Kitchen -

- C** Single use items rendered damp by flooding. Please discard Code: *Cleaned equipment and utensils, laundered linens, and single-service and single-use articles shall be stored: in a clean, dry location; where they are not exposed to splash, dust, or other contamination; and at least 15 cm (6 inches) above the floor. Clean equipment and utensils shall also be stored: in a self-draining position that allows air drying; and covered or inverted. Items that are kept in closed packages may be stored less than 15 cm (6 inches) above the floor on dollies, pallets, racks, and skids.*



Utensils, Equipment and Vending

FOOD SAFETY INSPECTION REPORT

Page Number

5

Armenian Apostolic Church
315 Church Street
Whitinsville, MA 1588

Inspection Number
A85DA

Date
12/18/23

Time In/Out
12:01 PM
1:02 PM

Inspector
D.Markman

Inspection Report (Continued)

Repeat Violations Highlighted in Yellow

All contact surfaces cleanable, properly designed, constructed & used

47 4-202.15 Can Openers - Kitchen -

- C** Make sure to thoroughly clean blade part of can opener
Code: Cutting or piercing parts of can openers shall be readily removable for cleaning and for replacement.



48 4-302.13 Wash/San. Temp. Measuring Devices - Kitchen -

- Pf** Make sure to purchase irreversible temperature strips (or reusable device) before using dishwasher *Code: In manual warewashing operations, a temperature measuring device shall be provided and readily accessible for frequently measuring the washing and sanitizing temperatures. In hot water mechanical warewashing operations, an irreversible registering temperature indicator shall be provided and readily accessible for measuring the utensil surface temperature*



FOOD SAFETY INSPECTION REPORT

Page Number

6

Armenian Apostolic Church
315 Church Street
Whitinsville, MA 1588

Inspection Number
A85DA

Date
12/18/23

Time In/Out
12:01 PM
1:02 PM

Inspector
D.Markman

Inspection Report (Continued)

Repeat Violations Highlighted in Yellow

49 4-601.11 (C) Non- Food Contact Surfaces and Utensils Clean - Kitchen -

- C** Make sure to keep surfaces like floors and equipment clean *Code: Nonfood contact surfaces of equipment shall be kept free of an accumulation of dust, dirt, food residue, and other debris.*



Additional Requirement

Violations Related to Good Retail Practices

60 MA 590.011 (C)(1) Food Allergy Awareness Requirements - Poster - Kitchen -

- C** Make sure to post a more up to date allergy awareness *Code: Food establishments that cook, prepare, or serve food intended for immediate consumption either on or off the premises shall prominently display in the employee work area a poster approved by the Department, no smaller than 8.5 by 11 inches, relating to major food allergens. The poster shall include the following information: (a) Major food allergens; (b) Health risks of food allergies; (c) Procedure to follow when a customer states that he or she has a food allergy; and (d) Emergency procedure to follow if a customer has an allergic reaction to a food.*



FOOD SAFETY INSPECTION REPORT

Page Number

7

Armenian Apostolic Church
315 Church Street
Whitinsville, MA 1588

Inspection Number
A85DA

Date
12/18/23

Time In/Out
12:01 PM
1:02 PM

Inspector
D.Markman

Inspection Report (Continued)


Repeat Violations Highlighted in Yellow

Compliance and Enforcement

Imminent Health Hazard

59 8-404.11 Ceasing Operations and Reporting. - Kitchen -

Pr Minor flooding evident in dry storage area, possibly from recent rains. Make sure to have this resolved prior to using the kitchen. *Code: A permit holder shall immediately discontinue operations and notify the RA if an Imminent Health Hazard may exist because of an emergency such as a fire, flood, extended interruption of electrical or water service, sewage backup, misuse of poisonous or toxic materials, onset of an apparent foodborne illness outbreak, gross insanitary occurrence or condition, or other circumstance that may endanger public health.*



Notes

Notes

88 Notes - Establishment -

N Make sure pest control logs are accessible by town staff - General Notes.

88 Notes - Establishment -

N Establishment may need a Chokesaver certification given the number of seats. Consult with BOH admin to verify what sort of documentation is needed. - General Notes.

Temperatures

The Town of Northbridge Board of Health Food Inspection Procedure Policy can be accessed here:
https://www.northbridgemass.org/sites/g/files/vyhli981f/uploads/inspectionpolicyfoodestablishments_august_2022.pdf

FOOD SAFETY INSPECTION REPORT

Page Number

8

Armenian Apostolic Church
315 Church Street
Whitinsville, MA 1588

Inspection Number
A85DA

Date
12/18/23

Time In/Out
12:01 PM
1:02 PM

Inspector
D.Markman

Inspection Report (Continued)

Repeat Violations Highlighted in Yellow

Area	Equipment	Product	Notes	Temps
Kitchen	1 dr freezer	Cheese (probe)		43.6 °F
Kitchen	1 dr freezer	Ambient (IR)		5.4 °F
Kitchen	1 dr refrigerator	Cream Cheese (probe)		43.4 °F
Kitchen	1 dr refrigerator	Butter (probe)		43.2 °F
Kitchen	1 dr refrigerator	Butter (probe)		41.4 °F
Garage	2 dr Cooler	Ambient (IR)		39.6 °F
Garage	Westerman Freezer	Ambient (IR)		6.6 °F
Garage	Sir Lawrence Freezer	Ambient (IR)		17.0 °F
Garage	Traulson Fridge	Ambient (IR)		41.2 °F
Garage	Glass Fridge	Ambient (IR)		37.6 °F
Garage	Small White Freezer	Ambient (IR)		5.0 °F
Garage	White Freezer	Ambient (IR)		1.8 °F

Temperatures in **RED** identify items in the temperature danger zone. See the report notes for specific details.

Notes

Will possibly need to Reinspection to verify that fridge is operational and flooding has been resolved.