## FOOD ESTABLISHMENT INSPECTION REPORT

Inspection Number 4FBA6

Date 11/20/23

Risk

Time In/Out 6:03 PM 6:26 PM

Follow Up Required: Y

Inspection Type Routine

Inspector D.Edmands

Risk Factor Good Retail

Follow Up Date:

2

Fairlawn Christian Reformed Church 305 Goldthwaite Road Whitinsville, MA 1588 Permit Holder: Same

Permit Number 2023-004

Bruce - Expires

Certificate #:

Variance

Client Type

Church Foodborne Illness Risk Factors and Public Health Interventions IN = in compliance OUT= out of compliance N/O = not observed N/A = not applicable COS = corrected on-site during inspection Repeat Violations Highlighted in Yellow Protection from Contamination (Cont'd) Supervision IN OUT NA NO COS IN OUT NA NO COS 15. Food separated and protected 1. PIC present, demonstrates knowledge, and performs duties 16. Food-contact surfaces; cleaned & sanitized 2. Certified Food Protection Manager **Employee Health** 17. Proper disposition of returned, previously served, IN OUT NA NO COS 3. Management, food employee and conditional employee Time/Temperature Control for Safety knowledge, responsibilities and reporting IN OUT NA NO CO 18. Proper cooking time & temperatures 4. Proper use of restriction and exclusion 19. Proper reheating procedures for hot holding 5. Procedures for responding to vomiting and diarrheal events 20. Proper cooling time and temperature Good Hygienic Practices IN OUT NA NO COS 6. Proper eating, tasting, drinking, or tobacco use 21. Proper hot holding temperatures 7. No discharge from eyes, nose, and mouth 22. Proper cold holding temperatures Preventing Contamination by Hands IN OUT NA NO COS 23. Proper date marking and disposition 8. Hands clean & properly washed 24. Time as a Public Health Control; procedures & records 9. No bare hand contact with RTE food or a pre-approved Consumer Advisory IN OUT NA NO CO 10. Adequate handwashing sinks supplied and accessible 25. Consumer advisory provided for raw/undercooked food Approved Source IN OUT NA NO COS Highly Susceptible Populations IN OUT NA NO CO 26. Pasteurized foods used; prohibited foods not offered 11. Food obtained from approved source Food/Color Additives and Toxic Substances IN OUT NA NO COS 12. Food received at proper temperature 27. Food additives: approved & properly used 13. Food in good condition, safe & unadulterated 28. Toxic substances properly identified, stored & used 14. Required records available: shellstock tags, parasite Conformance with Approved Procedures IN OUT NA NO COS Repeat Violations Highlighted in Yellow 29. Compliance with variance/specialized process/HACCP **Good Retail Practices** Safe Food and Water Proper Use of Utensils IN OUT NA NO COS IN OUT NA NO COS 43. In-use utensils: properly stored 30. Pasteurized eggs used where required 44. Utensils, equip. & linens: property stored, dried & handled 31. Water & ice from approved source 32. Variance obtained for specialized processing methods 45. Single-use/single-service articles: properly stored & used 46. Gloves used properly Food Temperature Control IN OUT NA NO COS 33. Proper cooling methods used; adequate equip. for temp. Utensils, Equipment and Vending IN OUT NA NO CO 47. All contact surfaces cleanable, properly designed, 34. Plant food properly cooked for hot holding 48. Warewashing facilities: installed, maintained & used; test 35. Approved thawing methods used 49 Non-food contact surfaces clean 36. Thermometers provided & accurate **Physical Facilities** IN OUT NA NO COS Food Identification IN OUT NA NO COS 50. Hot & cold water available; adequate pressure 37. Food properly labeled; original container 51. Plumbing installed; proper backflow devices Prevention of Food Contamination IN OUT NA NO COS 52. Sewage & waste water properly disposed 38. Insects, rodents & animals not present 53. Toilet facilities: properly constructed, supplied, & cleaned 39. Contamination prevented in prep, storage & display 54. Garbage & refuse properly disposed; facilities maintained 40. Personal cleanliness 55. Physical facilities installed, maintained & clean 41. Wiping cloths; properly used & stored 56. Adequate ventilation & lighting; designated areas use 42. Washing fruits & vegetables 60. 105 CMR 590 violations / local regulations Official Order for Correction: Based on an inspection today, the items marked "OUT" indicated violations of 105 CMR 590.000 and applicable sections of the 2013 FDA Food Code. This report, when signed below by a Board of Health member or its agent constitutes an order of the Board of Health. Failure to correct violations cited in this report may result in suspension or revocation of the food establishment permit and cessation of food establishment operations. If you are subject to a notice of suspension, revocation, or nonrenewal pursuant to 105 CMR 590.000 you may request a hearing before the board of health in accordance with 105 CMR 590.015(B).

2

Fairlawn Christian Reformed Church 305 Goldthwaite Road

Inspection Number 4FBA6

Date 11/20/23 Time In/Out 6:03 PM 6:26 PM Inspector D.Edmands

## **Inspection Report (Continued)**

Repeat Violations Highlighted in Yellow

## Supervision

### **Certified Food Protection Manager**

2 2-102.12 (A) Certified Food Protection Manager - Kitchen -

Code: At least one employee that has supervisory and management responsibility and the authority to direct and control food preparation and service shall be a certified food protection manager who has shown proficiency of required information through passing a test that is part of an accredited program.



# **Utensils, Equipment and Vending**

Warewashing facilities: installed, maintained & used; test strips

48 4-302.14 Sanitizing Solution Testing Devices - Kitchen -

**Pf** No test strips on site. QAT sanitizer on site. Code: A test kit or other device that accurately measures the concentration of sanitizing solutions shall be provided.

# **Additional Requirement**

#### Violations Related to Good Retail Practices

60 MA 590.011 (A) Anti-Choking Procedures - Establishment -

C Some events have more than 24 people present. Code: Restaurants with a seating capacity greater than 24 are required to have one or more employees trained in a manual choke-saving procedure in accordance with 105 CMR 605.000 Approved Choke-Saving Procedures. Each food service establishment shall: have on its premises, while food is being served, an employee trained in manual procedures approved by the Department to remove food lodged in a person's throat; and make adequate provision for insurance to cover employees trained in rendering such assistance.

### **Notes**

## FOOD SAFETY INSPECTION REPORT

Page Number

3

Fairlawn Christian Reformed Church 305 Goldthwaite Road

Inspection Number 4FBA6

Date 11/20/23

Time In/Out 6:03 PM 6:26 PM

Inspector D.Edmands

## **Inspection Report (Continued)**

Repeat Violations Highlighted in Yellow

#### **Notes**

88 Notes - -

**N** Dishwasher not being used at this time. - General Notes.



88 Notes - Kitchen -

**N** Please label 3 sinks. Wash, rinse, sanitize. - General Notes.



#### List 1

## FOOD SAFETY INSPECTION REPORT

Page Number 4

Fairlawn Christian Reformed Church 305 Goldthwaite Road

Inspection Number 4FBA6

Date 11/20/23

Time In/Out 6:03 PM 6:26 PM

Inspector D.Edmands

## **Inspection Report (Continued)**

Repeat Violations Highlighted in Yellow

IN= In Compliance

**OUT** = Out of Compliance

NA = Not Applicable

NO= Not Observed

Is a current permit posted?

Is grease trap log provided

IN

NA

#### **Temperatures**

Area Equipment Product Notes Temps

Temperatures in RED identify items in the temperature danger zone. See the report notes for specific details.

#### **Notes**

Hot water tested at 111 degrees F