Board of Health	FOOD ESTABLISHMENT INSPECTION REP					PORT R-1		
Phone (508) 234-3272	spection Number	Date	Time In/Out	Inspection Type	Ir	nspec	ctor	
On A Roll	81ECC	4/5/24	8:58 AM	Pre-Opening	-	•	man	<u>ר</u> ו
355 Main Street			9:18 AM	ant Turne				
		Risk		ent Type Mobile				
		2						
			blic Health Interven					
IN = in compliance OUT= out of compliance N/O = r Supervision	not observed N/A = not applicab IN OUT NA NO CO			Repeat Violations Highlighted in from Contamination (Cont		OUT	NA NO	0.00
1. PIC present, demonstrates knowledge, and performs duties	✓	1	I separated and protected		<u>()</u>			
2. Certified Food Protection Manager	 ✓ 	16. Food	l-contact surfaces; cleaned	& sanitized	 ✓ 		5	- <u>-</u>
Employee Health	IN OUT NA NO CO	s 17. Prop	er disposition of returned, p	reviously served,	✓			
Management, food employee and conditional employee knowledge, responsibilities and reporting	\checkmark		Time/Tem	perature Control for Safety		OUT	NA N	10 CC
4. Proper use of restriction and exclusion	✓	18. Prop	er cooking time & temperat	ures			√	
5. Procedures for responding to vomiting and diarrheal events	\checkmark	19. Prop	er reheating procedures for	hot holding			√	/
Good Hygienic Practices		20. Prop	er cooling time and temper	ature			√	/
6. Proper eating, tasting, drinking, or tobacco use	✓		er hot holding temperatures	3		Ē	√	
7. No discharge from eyes, nose, and mouth	✓		er cold holding temperature		J			iF
Preventing Contamination by Han	ds IN OUT NA NO COS		er date marking and dispos					/
8. Hands clean & properly washed	✓		as a Public Health Control				v	
9. No bare hand contact with RTE food or a pre-approved	✓			consumer Advisory	IN	I I	V NA NO	
10. Adequate handwashing sinks supplied and accessible	1 🗸	25. Cons	sumer advisory provided for				 Image: A state Image: A state<td></td>	
Approved Source	IN OUT NA NO CO	-		Susceptible Populations	IN	OUT	NA N	10 CC
11. Food obtained from approved source	\checkmark	26. Past	eurized foods used; prohibi		\checkmark			
12. Food received at proper temperature			Food/Color A	dditives and Toxic Substan	ces IN (N TUC	IA NC	o co:
13. Food in good condition, safe & unadulterated	\checkmark		additives: approved & prop	•			✓	
14. Required records available: shellstock tags, parasite		28. Toxi	c substances properly ident	-	✓			
Denset Vieletiene Highlighted in Velle		20. Com		ce with Approved Procedure	es in		NA NO	<u>o cc</u>
Repeat Violations Highlighted in Yello			pliance with variance/speci	alized process/HACCP			✓	
Safe Food and Water		_		oper Use of Utensils	IN		NA NO	
30. Pasteurized eggs used where required			e utensils: properly stored		IIN		NA IN	
31. Water & ice from approved source			sils, equip. & linens: proper	tv stored, dried & handled				
32. Variance obtained for specialized processing methods			le-use/single-service article	-				-
			es used properly					
Food Temperature Control 33. Proper cooling methods used; adequate equip. for temp.		3		, Equipment and Vending	IN (א דוור	NA NC	
		47. All c	ontact surfaces cleanable, p	· · · ·				500
34. Plant food properly cooked for hot holding		48 War	ewashing facilities: installed	1 maintained & used: test				
35. Approved thawing methods used			-food contact surfaces clea					-
36. Thermometers provided & accurate		43. NOI		Physical Facilities	INL (NA NC	
Food Identification	IN OUT NA NO CO	s 50. Hot a	& cold water available; adeo				IA NC	500
37. Food properly labeled; original container			bing installed; proper back					-
Prevention of Food Contaminatio	n IN OUT NA NO CO		age & waste water properly					
38. Insects, rodents & animals not present			t facilities: properly constru	-				-
39. Contamination prevented in prep, storage & display			age & refuse properly disp					
40. Personal cleanliness			ical facilities installed, mair					
41. Wiping cloths; properly used & stored			quate ventilation & lighting;					
42. Washing fruits & vegetables				-				
		00. 105	CMR 590 violations / local r	eguiations	\checkmark			

Official Order for Correction: Based on an inspection today, the items marked "OUT" indicated violations of 105 CMR 590.000 and applicable sections of the 2013 FDA Food Code. This report, when signed below by a Board of Health member or its agent constitutes an order of the Board of Health. Failure to correct violations cited in this report may result in suspension or revocation of the food establishment permit and cessation of food establishment operations. If you are subject to a notice of suspension, revocation, or non-renewal pursuant to 105 CMR 590.000 you may request a hearing before the board of health in accordance with 105 CMR 590.015(B).

Pf 1 Core Risk Factor Good Retail Priority Repeat 0 0 0 1 Follow Up Required: V Follow Up Date: 4/6/2024

D.Markman

Randy Ross - Expires Certificate #:

FOOD S/	RT	2		
On A Roll 355 Main Street Whitinsville, MA 01588	Inspection Number 81ECC	Date 4/5/24	T <u>ime In/Ou</u> t 8:58 AM 9:18 AM	Inspector D.Markman

Inspection Report (Continued)

Repeat Violations Highlighted in Yellow

Dogo Number

Preventing Contamination by Hands

Adequate handwashing sinks properly supplied and accessible

10

5-202.12 (A)(B) Handwashing Sink, Installation - Prep area -

Pf Handwash sink water temped at 73.4 F at the highest. Repair *Code: A handwashing lavatory shall be* equipped to provide water at a temperature of at least 100°F through a mixing valve or combination faucet. A steam mixing valve may not be used at a handwashing sink.

Lis	t1				
	IN= In Compliance	OUT = Out of Compliance	NA = Not Applicable	NO= Not Observ	ed
	Is PIC on site				IN
	Does establishment h	nave copy of inspection p	olicy		NO
	Are the ServSafe, Ch	oke Save and MA Allergy	Cert. posted?		IN
	Is a current permit po	sted?			NA
	Is grease trap log pro	vided			NA
	Are SOP's in place fo	r cleaning up vomit/diarrh	neal incidents?		IN
	Are Employee reporti	ng forms on site.			NO
	If applicable, is operation in compliance with HACCP plan?				
	Irreversible Test strips/device available?				
	Handsinks accessible.				
	Notification posted fo	r most recent inspection r	report?		IN
	Most recent Inspection	on report available?			IN
	Are pest control report	rts availabale and up to d	ate?		NA
	Hand washing sinks s	supplied with liquid soap,	paper towels and trasl	ר	IN
	Test kits on site for sa	anitizer.			IN
	Are Covid 19 protoco	Is being followed?			NA

Temperatures								
Area	Equipment	Product	Notes	Temps				
The Town of Northbridge Board of Health Food Inspection Procedure Policy can be accessed here: https://www.northbridgemass.org/sites/g/files/vyhlif981/f/uploads/inspectionpolicyfoodestablishments_august_2022.pdf								

FOOD SAFETY INSPECTION REPORT								Pa	<u>ge Number</u> 3
On A Roll 355 Main Stree Whitinsville, M		Insp	ection Numb 81ECC		Date 4/5/24	T <u>ime Ir</u> 8:58 / 9:18 /	AM		pector Irkman
Inspection Report (Continued) Repeat Violations Highlighted in Yell					hted in Yellow				
Area	E	Equipment	Pro	oduct			Notes	6	Temps
Prep area	С	hest freezer	Amb	pient (IR))				-2.0 °F
Prep area	S	mall Chest Freeze	er Amt	pient (IR))				12.4 °F
Prep area	1	dr refrigerated uni	it Amt	pient (IR))				36.0 °F

Temperatures in RED identify items in the temperature danger zone. See the report notes for specific details.

Notes

Everything is in order except hot water. Handwash sink was unable to meet 100 F minimum threshold. Do not advise opening until this is fixed.

Town of Northbridge Board of Health	FOOD ESTABLISHMENT INSPECTION REPOR				
Phone (508) 234-3272	spection Number	Date	Time In/Out	Inspection Type	Inspector
On A Roll	C4041	4/9/24	1:53 PM	Re-Inspection	K.Donahue
355 Main Street			1:57 PM	ant Turna	
	Permit Number 2024-MF-02	Risk 2		ent Type Mobile	
Foodborn IN = in compliance OUT= out of compliance N/O =			ublic Health Interven	tions Repeat Violations Highlighted in	Vollow
Supervision	IN OUT NA NO CO			from Contamination (Cont	
1. PIC present, demonstrates knowledge, and performs duties	✓	15. Food	separated and protected	,	
2. Certified Food Protection Manager	✓	16. Food	d-contact surfaces; cleaned	& sanitized	\checkmark
Employee Health	IN OUT NA NO CO	os 17. Prop	per disposition of returned, p	reviously served,	✓
 Management, food employee and conditional employee knowledge, responsibilities and reporting 	\checkmark		Time/Tem	perature Control for Safety	
4. Proper use of restriction and exclusion	\checkmark	18. Prop	per cooking time & temperat	ures	✓
5. Procedures for responding to vomiting and diarrheal events	<	19. Prop	per reheating procedures for	hot holding	
Good Hygienic Practices	IN OUT NA NO CO	S 20. Prop	per cooling time and temper	ature	✓
6. Proper eating, tasting, drinking, or tobacco use	✓	21. Prop	per hot holding temperatures	3	<
7. No discharge from eyes, nose, and mouth	✓	22. Prop	er cold holding temperature	s	✓
Preventing Contamination by Har		S 23. Prop	er date marking and dispos	ition	✓
8. Hands clean & properly washed	✓	24. Time	e as a Public Health Control	; procedures & records	· ✓
9. No bare hand contact with RTE food or a pre-approved	\checkmark		C	onsumer Advisory	
10. Adequate handwashing sinks supplied and accessible	\checkmark	25. Con	sumer advisory provided for	raw/undercooked food	✓
Approved Source	IN OUT NA NO CO	os	Highly	Susceptible Populations	IN OUT NA NO CO
11. Food obtained from approved source	✓	26. Past	eurized foods used; prohibi		
12. Food received at proper temperature				dditives and Toxic Substar	
13. Food in good condition, safe & unadulterated	\checkmark		d additives: approved & pro	-	
14. Required records available: shellstock tags, parasite	\checkmark	28. TOXI	c substances properly ident	-	✓
Repeat Violations Highlighted in Yello	2047	29 Com	pliance with variance/speci	ce with Approved Procedur	
	Good Re				✓
Safe Food and Water		_		oper Use of Utensils	IN OUT NA NO CO
30. Pasteurized eggs used where required	✓	43. In-us	se utensils: properly stored		
31. Water & ice from approved source		44. Uter	isils, equip. & linens: proper	ty stored, dried & handled	
32. Variance obtained for specialized processing methods	✓	45. Sing	le-use/single-service article	s: properly stored & used	
Food Temperature Control	IN OUT NA NO CO	5 46. Glov	es used properly		
33. Proper cooling methods used; adequate equip. for temp.	✓	1	Utensils	, Equipment and Vending	IN OUT NA NO COS
24 Diant food property cooled for bot bolding		47. All c	ontact surfaces cleanable, p	properly designed,	
34. Plant food properly cooked for hot holding		48. Wai	rewashinq facilities: installed	l, maintained & used; test	
35. Approved thawing methods used		49. Nor	-food contact surfaces clea	n	
36. Thermometers provided & accurate				Physical Facilities	IN OUT NA NO COS
Food Identification	IN OUT NA NO CO	50. Hot	& cold water available; adeo	uate pressure	
37. Food properly labeled; original container		51. Plun	nbing installed; proper back	low devices	
Prevention of Food Contamination	ON IN OUT NA NO CO	52. Sew	age & waste water properly	disposed	
38. Insects, rodents & animals not present		53. Toile	et facilities: properly constru	cted, supplied, & cleaned	
39. Contamination prevented in prep, storage & display		54. Gart	bage & refuse properly dispo	osed; facilities maintained	
40. Personal cleanliness		55. Phys	sical facilities installed, mair	tained & clean	
41. Wiping cloths; properly used & stored		56. Ade	quate ventilation & lighting;	designated areas use	
42. Washing fruits & vegetables			CMR 590 violations / local r	-	
				-	

Official Order for Correction: Based on an inspection today, the items marked "OUT" indicated violations of 105 CMR 590.000 and applicable sections of the 2013 FDA Food Code. This report, when signed below by a Board of Health member or its agent constitutes an order of the Board of Health. Failure to correct violations cited in this report may result in suspension or revocation of the food establishment permit and cessation of food establishment operations. If you are subject to a notice of suspension, revocation, or non-renewal pursuant to 105 CMR 590.000 you may request a hearing before the board of health in accordance with 105 CMR 590.015(B).

Priority Pf

Repeat Risk Factor Good Retail

K.Donahue

Randy Ross - Expires Certificate #:

Follow Up Required: 🗌 Y

Core

Follow Up Date:

FOOD SA	T	<u>Page Number</u> 2		
On A Roll 355 Main Street Whitinsville, MA 01588	Inspection Number C4041	Date 4/9/24	T <u>ime In/Ou</u> t 1:53 PM 1:57 PM	Inspector K.Donahue
Inspection Report (Continued)			Repeat Violati	ons Highlighted in Yellow

97 97 Corrected - Prep area -

COS ----- The Original Violation Code was 5-202.12 (A)(B) Handwashing Sink, Installation ------ Handwash sink water temped at 73.4 F at the highest. Repair - A handwashing lavatory shall be equipped to provide water at a temperature of at least 100°F through a mixing valve or combination faucet. A steam mixing valve may not be used at a handwashing sink.

Temperatures

Area	Equipment	Product	Notes	Temps

Temperatures in RED identify items in the temperature danger zone. See the report notes for specific details.

Notes

Hot water temp is at 124.4